

DAFTAR PUSTAKA

- Alqahtani, A. and Alqahtani, N. (2023) 'Cardiovascular and metabolic risks among overweight and obese Hajj pilgrims: implications for health management', *Journal of Travel Medicine*, 30(2), taad041. Available at: <https://doi.org/10.1093/jtm/taad041>
- Alshamrani, A.A. (2025) 'Health challenges during Hajj pilgrimage: physical and environmental stressors', *Journal of Travel Medicine*, 32(1), taad102.
- American Diabetes Association (2024) 'Standards of medical care in diabetes—2024', *Diabetes Care*, 47(Suppl. 1), pp. S1–S350. Available at: <https://doi.org/10.2337/dc24-SINT>
- American Diabetes Association (2024) 'Standards of care in diabetes—2024', *Diabetes Care*, 47(Suppl. 1), pp. S20–S42.
- Badan Kebijakan Pembangunan Kesehatan Kementerian Kesehatan Republik Indonesia (2023) *Hasil Utama Survei Kesehatan Indonesia (SKI) 2023*. Jakarta: Kementerian Kesehatan RI.
- Beshyah, S.A., Ahmed, A.M. and Elzubier, A.G. (2022) 'Hyperglycaemic and hypoglycaemic emergencies among patients with diabetes mellitus who participated in the 2019/1440H Hajj season', *Journal of Family Medicine and Primary Care*, 11(1), pp. 312–318. Available at: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC8930157/>
- Deng, L., Jia, L., Wu, X.-L. and Cheng, M. (2024) 'Association between body mass index and glycemic control in type 2 diabetes mellitus: a cross-sectional study', *Diabetes, Metabolic Syndrome and Obesity*, 17, pp. 1–10.
- Deng, X., Liu, Y., Zhang, H. and Wang, J. (2025) 'Association between body mass index and glycemic control in patients with type 2 diabetes mellitus: a cross-sectional study', *BMC Endocrine Disorders*, 25(1), Article 44.
- Deng, X., Liu, Y., Zhang, H. and Wang, J. (2025) 'Association between waist circumference and glycaemic control among patients with type 2 diabetes mellitus', *Journal of Diabetes Research*, 2025, pp. 1–8.
- Yezli, S., Mushi, A., Almuzaini, Y., et al. (2021). *Prevalence of Diabetes and Hypertension among Hajj Pilgrims: A Systematic Review*. *International Journal of Environmental Research and Public Health*, 18(3), 1155. Available at: <https://doi.org/10.3390/ijerph18031155>.
- Dinas Kesehatan Provinsi Jawa Timur (2023) *Profil Kesehatan Provinsi Jawa Timur Tahun 2023*. Surabaya: Dinas Kesehatan Provinsi Jawa Timur.
- Guerra-Valencia, J., Martínez-Moreno, A.G., Flores-López, A. and Sánchez-López, M. (2025) 'Waist circumference measurement and its association with cardiometabolic risk factors in adults', *Journal of Public Health Research*, 14(1), pp. 1–9. Available at: <https://doi.org/10.1177/22799036251377581>

- Guyton, A.C. and Hall, J.E. (2021) *Textbook of medical physiology*. 14th edn. Philadelphia: Elsevier.
- Hadjadj, S. et al. (2022) 'Effect of statins on HbA1c and glycemic control in patients with type 2 diabetes', *The Lancet Diabetes & Endocrinology*, 10(5), pp. 312–324.
- Hurin, A. (2023) 'Hubungan lingkaran perut dan indeks massa tubuh dengan kadar HbA1c pada pasien diabetes melitus tipe 2 di Indonesia', *Jurnal Kesehatan Masyarakat Indonesia*, 18(2), pp. 85–92.
- Hurin, H. (2023) 'Hubungan indeks massa tubuh dengan kadar HbA1c pada pasien diabetes melitus tipe 2', *Jurnal Kesehatan Indonesia*, 14(2), pp. 87–94.
- International Diabetes Federation (2023) *IDF consensus worldwide definition of the metabolic syndrome: ethnic-specific waist circumference cut-off points*. Brussels: International Diabetes Federation. Available at: <https://idf.org/media/uploads/2023/05/attachments-30.pdf>
- Jayant, A., Kumar, S. and Mehta, P. (2022) 'Adipokines, insulin resistance, and metabolic inflammation', *Journal of Endocrinology*, 254(3), pp. R45–R58.
- Kementerian Kesehatan Republik Indonesia (2018) *Potret kesehatan Indonesia dari Riskesdas 2018*. Jakarta: Kementerian Kesehatan RI. Available at: <https://kemkes.go.id/id/potret-sehat-indonesia-riskesdas-2018>
- Kementerian Kesehatan Republik Indonesia (2019) *Buku saku pengendalian obesitas*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia (2019) *Laporan Provinsi Jawa Timur: Riset Kesehatan Dasar (Riskesdas) 2018*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan.
- Kementerian Kesehatan Republik Indonesia (2020) *Pedoman pengelolaan diabetes melitus di fasilitas pelayanan kesehatan primer*. Jakarta: Kementerian Kesehatan RI.
- Kementerian Kesehatan Republik Indonesia (2021) *Pedoman pengelolaan pencegahan obesitas bagi tenaga kesehatan di fasilitas kesehatan tingkat pertama (FKTP)*. Jakarta: Direktorat Jenderal Pencegahan dan Pengendalian Penyakit.
- Kementerian Kesehatan Republik Indonesia (2023) *Hasil Utama Survei Kesehatan Indonesia (SKI) 2023*. Jakarta: Kementerian Kesehatan RI. Available at: <https://www.badankebijakan.kemkes.go.id/en/daftar-frequently-asked-question-seputar-hasil-utama-ski-2023/hasil-utama-ski-2023/>
- Kementerian Kesehatan Republik Indonesia (2024) *Keputusan Menteri Kesehatan Republik Indonesia Nomor HK.01.07/MENKES/508/2024 tentang perubahan atas Keputusan Menteri Kesehatan Nomor HK.01.07/MENKES/2118/2023 tentang standar teknis pemeriksaan kesehatan dalam rangka penetapan status istithaah kesehatan jemaah haji*. Jakarta: Kementerian Kesehatan RI.
- Kula, A.J., Nowak, K. and Zielińska, M. (2024) 'Waist circumference as an independent predictor of HbA1c and diabetes risk: a meta-analysis', *Obesity Reviews*, 25(2), e13521.

- Lin, X. (2024) 'Body mass index and HbA1c levels in general and diabetic populations: analysis of NHANES data', *Diabetes Research and Clinical Practice*, 205, Article 110267.
- Lin, Y., Chen, Q., Huang, Z. and Zhou, L. (2024) 'Waist circumference is a stronger predictor of HbA1c than body mass index in adults', *BMC Endocrine Disorders*, 24(1), pp. 1–10.
- Lin, W. (2024). The association between body mass index and glycohemoglobin (HbA1c) in the US population's diabetes status. *International Journal of Environmental Research and Public Health*, 21(5), 517. <https://doi.org/10.3390/ijerph21050517>
- Kurniawan, F., Sigit, F.S., Trompet, S., Yunir, E., Tarigan, T.J., Soewondo, P., Tahapary, D. and de Mutsert, R. (2024). *Lifestyle and clinical risk factors in relation with the prevalence of diabetes in the Indonesian urban and rural populations: The 2018 Indonesian Basic Health Survey*. Preventive Medicine Reports, 38, 102629. Available at: <https://doi.org/10.1016/j.pmedr.2024.102629>.
- Minetto, M.A., Busso, C. and Lanfranco, F. (2022) 'Visceral fat and metabolic risk: clinical implications', *European Journal of Endocrinology*, 187(3), pp. R33–R48.
- Mittal, B. (2020) 'Subcutaneous adipose tissue and visceral adipose tissue: their relation to insulin resistance and metabolic syndrome', *Indian Journal of Medical Research*, 151(5), pp. 386–389. Available at: https://doi.org/10.4103/ijmr.IJMR_1910_18
- Sacks, D.B., Arnold, M., Bakris, G.L., et al. (2023). *Guidelines and Recommendations for Laboratory Analysis in the Diagnosis and Management of Diabetes Mellitus*. Diabetes Care, 46(10), e151–e199. Available at: <https://doi.org/10.2337/dci23-0036>.
- NGSP (National Glycohemoglobin Standardization Program) (2024) *Factors that interfere with HbA1c test results*.
- Permatasari, T.A. (2024) 'Literature review: faktor-faktor yang berhubungan dengan kadar HbA1c pada penderita diabetes mellitus tipe 2', *Jurnal Kesehatan Tambusai*. Available at: <https://journal.universitaspahlawan.ac.id/index.php/jkt/article/view/46794>
- Pusat Penelitian Haji dan Umrah (2025) *Pedoman kebugaran fisik calon jemaah haji*. Jakarta: Kementerian Agama RI.
- Sanada, H., Yokokawa, H., Yoneda, M., Yatabe, J., Yatabe, M.S., Williams, S.M., Felder, R.A. and Jose, P.A. (2012) 'High body mass index is an important risk factor for the development of type 2 diabetes', *Internal Medicine*, 51(14), pp. 1821–1826.
- Saudi Ministry of Health (2025a) *Health requirements and recommendations for Hajj pilgrims*. Riyadh: Ministry of Health.
- Saudi Ministry of Health (2025b) *Health requirements and recommendations for*

- travelers to Saudi Arabia for Hajj and Umrah*. Riyadh: Ministry of Health.
- Shaikh, S. et al. (2020) 'Diabetes care during Hajj', *Diabetes Therapy*, 11(11), pp. 2363–2391. Available at: <https://doi.org/10.1007/s13300-020-00944-5>
- Yadav, N. and Mandal, A.K. (2023). *Interference of hemoglobin variants in HbA1c quantification*. *Clinica Chimica Acta*, 539, pp. 55–65. Available at: <https://doi.org/10.1016/j.cca.2022.11.031>
- Suharno, J.A. and Nisa, H. (2024) 'Hubungan indeks massa tubuh dan lingkar perut dengan diabetes melitus pada orang dewasa di Indonesia: hasil analisis Riskesdas 2018', *Nutrisia*, 26(1), pp. 1–10. Available at: <https://doi.org/10.29238/jnutri.v26i1.382>
- Urniawan, L.B., Apriani, L.P., Kadir, N.A., Nurahmi, N., Basri, M.I. and Aminuddin, A. (2025) 'Visceral fat as the main obesity index that determines the occurrence of adipose tissue insulin resistance', *EJIFCC*, 36(3), pp. 321–327.
- Ziyadullaev, S., Eshmuradova, S., Kadirov, J., Saidov, M., Ruzimurodov, N. and Nazirkulov, O. (2026) *Central obesity and glycaemic control in newly diagnosed type 2 diabetes mellitus patients: evidence from Uzbekistan*. *BMC Endocrine Disorders*, 26(1), Article 66. Available at: <https://doi.org/10.1186/s12902-026-02187-0>.
- World Health Organization (2023a) *Health advice for pilgrims*. Cairo: WHO Eastern Mediterranean Regional Office.
- World Health Organization (2023b) *General health advice and guidelines for pilgrims*. Cairo: WHO Eastern Mediterranean Regional Office. Available at: <https://www.emro.who.int/media/news/general-health-advice-and-guidelines-for-pilgrims.html>
- World Health Organization (2024) *Diabetes*. Geneva: World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/diabetes>
- World Health Organization (2025) *Obesity and overweight*. Geneva: World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight>
- Zhang, M., Ward, J., Strawbridge, R.J. et al. (2024) 'How do lifestyle factors modify the association between genetic predisposition and obesity-related phenotypes?', *BMC Medicine*, 22, Article 230. Available at: <https://doi.org/10.1186/s12916-024-03436-6>
- Zhen, Q., Liu, X. and Chen, Y. (2022) 'Association of waist circumference with haemoglobin A1c and its optimal cutoff for identifying prediabetes and diabetes risk in the Chinese population', *Internal and Emergency Medicine*(2022)17:2039–2044 Available at: <https://doi.org/10.1007/s11739-022-03072-z>
- Lucassen, E.A. et al. (2020) 'Is abdominal fat distribution associated with chronotype?', *Nutrients*, 12(4), Article 1026. Available at: <https://pmc.ncbi.nlm.nih.gov/articles/PMC7146439/>
- Sun, W. et al. (2022) 'Gender-specific factors contributing to visceral obesity

including the sleep-obesity relationship', *BMC Public Health*, 22, Article 1402. Available at: <https://www.nature.com/articles/s41598-022-24863-6>

Yoo, J.H. et al. (2021) 'Fluctuations in waist circumference increase diabetes risk', *Nutrition & Metabolism*, 18, Article 97. Available at: <https://nutritionandmetabolism.biomedcentral.com/articles/10.1186/s12986-021-00627-3>